

SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

June 22, 2021

Steve Genesser
TEM Inc
174 N. Brandon Drive
Glendale Heights, IL 60139

Workorder: 2106C75

TEL: (630) 790-0882

FAX:

RE: SD 58 1435 Jefferson Ave Downers Grove IL 60516 Drinking Water Lead
Analysis

Dear Steve Genesser:

Suburban Laboratories, Inc. received 56 sample(s) on 6/11/2021 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,

Pat Rodriguez
Project Manager
708-544-3260 ext 214
pat@suburbanlabs.com



SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

Client ID: TEM Inc

Report Date: June 22, 2021

Project Name: SD 58 1435 Jefferson Ave Downers Grove IL 60516 Drin

Workorder: 2106C75

Analyte: Lead

Method: EPA 200.8

Matrix: Drinking Water

Sample ID	Client Sample ID	Result	MRL	Units	Date & Time Water System Last Used	Date Collected	Date Analyzed
2106C75-001A	HC 001A Nurse Office Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-002A	HC 001B Nurse Office Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-003A	HC 002A Teacher Work Area Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-004A	HC 002B Teacher Work Area Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-005A	HC 003A Teachers Lounge Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-006A	HC 003B Teachers Lounge Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-007A	HC 004A CR1 Sink Draw	3.29	2.00	µg/L		6/9/2021	6/17/2021
2106C75-008A	HC 004B CR1 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-009A	HC 005A CR2 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-010A	HC 005B CR2 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-011A	HC 006A CR3 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-012A	HC 006B CR3 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-013A	HC 007A CR4 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-014A	HC 007B CR4 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-015A	HC 008A Act Room Left Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-016A	HC 008B Act Room Left Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-017A	HC 009A Act Room Right Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-018A	HC 009B Act Room Right Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-019A	HC 010A Learning Center Backroom Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-020A	HC 010B Learning Center Backroom Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-021A	HC 011A CR5 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-022A	HC 011B CR5 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-023A	HC 012A CR6 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-024A	HC 012B 012B CR6 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-025A	HC 013A CR7 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-026A	HC 013B CR7 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-027A	HC 014A CR8 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-028A	HC 014B CR8 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-029A	HC 015A CR9 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-030A	HC 015B CR9 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-031A	HC 016A CR10 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021

ND - Not Detected Down to the Laboratory Minimum Reporting Limit (MRL)

SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

Client ID: TEM Inc

Report Date: June 22, 2021

Project Name: SD 58 1435 Jefferson Ave Downers Grove IL 60516 Drin

Workorder: 2106C75

Analyte: Lead

Method: EPA 200.8

Matrix: Drinking Water

Sample ID	Client Sample ID	Result	MRL	Units	Date & Time Water System Last Used	Date Collected	Date Analyzed
2106C75-032A	HC 016B CR10 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-033A	HC 017A CR11 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-034A	HC 017B CR11 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-035A	HC 018A CR12 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-036A	HC 018B CR12 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-037A	HC 019A CR16 Outside Girls WC Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-038A	HC 019B CR16 Outside Girls WC Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-039A	HC 020A CR16 Outside Boys WC Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-040A	HC 020B CR16 Outside Boys WC Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-041A	HC 021A Kitchen Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-042A	HC 021B Kitchen Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-043A	HC 022A CR17 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-044A	HC 022B CR17 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-045A	HC 023A CR18 Sink Draw	11.8	2.00	µg/L		6/9/2021	6/17/2021
2106C75-046A	HC 023B CR18 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-047A	HC 024A CR19 Sink Draw	4.02	2.00	µg/L		6/9/2021	6/17/2021
2106C75-048A	HC 024B CR19 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-049A	HC 025A CR20 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-050A	HC 025B CR20 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-051A	HC 026A CR21 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-052A	HC 026B CR21 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-053A	HC 027A CR23 Sink Draw	2.19	2.00	µg/L		6/9/2021	6/17/2021
2106C75-054A	HC 027B CR23 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-055A	HC 028A CR24 Sink Draw	ND	2.00	µg/L		6/9/2021	6/17/2021
2106C75-056A	HC 028B CR24 Sink Flush	ND	2.00	µg/L		6/9/2021	6/17/2021



SUBURBAN TESTING LABS

1 of 7

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Page 4 of 10

Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
Phone: 630-790-0880
Email: sgeneser@tem-inc.com
Contact Name: Steven Geneser
P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: 1435 Jefferson Ave
Downer's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HCO1A/Nurse office sink	6/9/21	5:40	RPG	Lead	250ML	PW	G	P	NA	2106CT5 1A
	HCO1B/ "	"	"	RPG	Lead	250ML	PW	G	P	NA	
	HCO2A/Teacher work area sink	"	5:41	"	Lead	250ML	PW	G	P	NA	
	HCO2B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HCO3A/Teachers lounge sink	"	5:43	"	Lead	250ML	PW	G	P	NA	
	HCO3B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HCO4A/CR1 sink	"	5:50	"	Lead	250ML	PW	G	P	NA	
	HCO4B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By: _____	Count: _____	Date: <u>6/9/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By: <u>P. Hume</u>		Date: <u>6/11/21</u>	Temp °C: _____			
Relinquished By: _____		Date: _____	Temp °C: _____	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By: _____		Date: _____	Temp °C: _____			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

2 of 7

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
Phone: 630-790-0880
Contact Name: Steven Geneser
Email: sgeneser@tem-inc.com
Comments: _____
P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: 1435 Jefferson Ave.
Downer's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____

Page 5 of 5

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HC05A/CR2 sink	6/4/21	5:51	RP6	Lead	250ML	PW	G	P	NA	2106075 9.4
	HC05B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC06A/CR3 sink	"	5:53	"	Lead	250ML	PW	G	P	NA	
	HC06B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC07A/CR4 sink	"	5:55	"	Lead	250ML	PW	G	P	NA	
	HC07B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC08A/ Act. Room left sink	"	5:57	"	Lead	250ML	PW	G	P	NA	
	HC08B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By: _____	Count: _____	Date: <u>6/9/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA O = Other
Received By: <u>P. Stue</u>	Date: <u>6/11/21</u>	Temp °C: _____	Acceptable: Y / N			
Relinquished By: _____	Date: _____	Temp °C: _____	Acceptable: Y / N	All containers in tact? Y / N	Tests within holding times? Y / N	40 mL VOA vials free of headspace? Y / N
Received in Lab By: _____	Date: _____	Temp °C: _____	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLP059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

3 of 7

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
Phone: 630-790-0880
Email: sgeneser@tem-inc.com
Contact Name: Steven Geneser
P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: 1435 Jefferson Ave.
Downer's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____


Comments: _____

Page 6

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HCO9A/Act. Room right sink	6/9/21	6:00	RPG	Lead	250ML	PW	G	P	NA	
	HCO9B/ "	"	"	"	Lead	250ML	PW	G	P	NA	2106CT5 174
	HC10A/Learning center backroom sink	"	6:02	"	Lead	250ML	PW	G	P	NA	
	HC10B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC11A/CR5 sink	"	6:04	"	Lead	250ML	PW	G	P	NA	
	HC11B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC12A/CR6 sink	"	6:05	"	Lead	250ML	PW	G	P	NA	
	HC12B/ "	"	"	"	Lead	250ML	PW	G	P	NA	214

Relinquished By: _____	Count: _____	Date: <u>6/19/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By: _____	Date: <u>6/11/21</u>	Temp °C: _____	Acceptable: Y / N			
Relinquished By: _____	Date: _____	Temp °C: _____	Acceptable: Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By: _____	Date: _____	Temp °C: _____	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLP059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

4 of 7

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____ Page 7 of 10

Client Name: TEM Environmental, Inc.
 Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
 Contact Name: Steven Geneser
 Phone: 630-790-0880
 Email: sgeneser@tem-inc.com
 P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
 Address: 1435 Jefferson Ave.
Downer's Grove, IL 60516
 Regulatory ID (SDWA/Permit #): _____

Comments: _____

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HC13A/CR7 sink	6/9/11	6:07	RPG	Lead	250ML	PW	G	P	NA	
	HC13B/ "	"	"	"	Lead	250ML	PW	G	P	NA	2106CT5 25A
	HC14A/CR8 sink	"	6:08	"	Lead	250ML	PW	G	P	NA	
	HC14B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC15A/CR9 sink	"	6:10	"	Lead	250ML	PW	G	P	NA	
	HC15B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC16A/CR10 sink	"	6:11	"	Lead	250ML	PW	G	P	NA	
	HC16B/ "	"	"	"	Lead	250ML	PW	G	P	NA	32A

Relinquished By:	Count	Date: <u>6/9/11</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By:		Date: <u>6/11/11</u>	Temp °C: _____			
Relinquished By:		Date: _____	Temp °C: _____	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By:		Date: _____	Temp °C: _____			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN
TESTING LABS

5 of 7

Chain of Custody Record
1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
Contact Name: Steven Geneser
Comments: _____

Phone: 630-790-0880
Email: sgeneser@tem-inc.com

P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: K35 Jefferson Ave.
Dowdell's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____

Page 8 of 10

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HC17A/CR11 sink	6/9/21	6:13	ROG	Lead	250ML	PW	G	P	NA	
	HC17B/ "	"	"	"	Lead	250ML	PW	G	P	NA	2106075 33A
	HC18A/CR12 sink	"	6:16	"	Lead	250ML	PW	G	P	NA	
	HC18B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC19A/CR16, outside girls' WC	"	6:19	"	Lead	250ML	PW	G	P	NA	
	HC19B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC20A/CR16, outside boys' WC	"	6:20	"	Lead	250ML	PW	G	P	NA	
	HC20B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By:	Count	Date: <u>6/14/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA
Received By:		Date: <u>6/11/21</u>	Temp °C: _____			
Relinquished By:		Date: <u>16:07</u>	Acceptable: Y / N	All containers in tact? Y / N	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate	OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By:		Date:	Temp °C: _____	Tests within holding times? Y / N		

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020.
Shaded areas are for STL use only.



SUBURBAN TESTING LABS

0 of 7

Chain of Custody Record
 1037F MacArthur Road, Reading, PA 19605
 610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT (Check One): Standard 24hr 48hr 72hr Other
 (Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: TEM Environmental, Inc.
 Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
 Contact Name: Steven Geneser
 Phone: 630-790-0880
 Email: sgeneser@tem-inc.com
 P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
 Address: 1435 Jefferson Ave
Downers Grove, IL 60516
 Regulatory ID (SDWA/Permit #): _____

Comments:

Page 9 of 10

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HC21A/Kitchen's Sink	6/9/21	6:21	RPG	Lead	250ML	PW	G	P	NA	
	HC21B/ "	"	"	"	Lead	250ML	PW	G	P	NA	2106075 41A
	HC22A/CR17 sink	"	6:23	"	Lead	250ML	PW	G	P	NA	
	HC22B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC23A/CR18 sink	"	6:25	"	Lead	250ML	PW	G	P	NA	
	HC23B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC24A/CR19 sink	"	6:26	"	Lead	250ML	PW	G	P	NA	
	HC24B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By:	Count: _____	Date: <u>6/9/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By:	Date: <u>6/11/21</u>	Temp °C: _____	Number of containers match number on COC? Y / N			
Relinquished By:	Date: <u>11/0/21</u>	Acceptable: Y / N	All containers in tact? Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By: _____	Date: _____	Temp °C: _____	Tests within holding times? Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

7 of 7

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Client Name: TEM Environmental, Inc. Order ID: _____

Address: 174 N. Brandon Drive Phone: 630-790-0880

Glendale Heights, IL 60139 Email: sgeneser@tem-inc.com

Contact Name: Steven Geneser P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling

Address: 1435 Jefferson Ave.

Danner's Grove, IL 60516

Regulatory ID (SDWA/Permit #): _____

Comments: _____

Page 10 of 10

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	HC25A/CR20 sink	6/9/21	6:29	RPG	Lead	250ML	PW	G	P	NA	
	HC25B/ "	"	"	"	Lead	250ML	PW	G	P	NA	2106075 49A
	HC26A/CR21 sink	"	6:32	"	Lead	250ML	PW	G	P	NA	
	HC26B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC27A/CR23 sink	"	6:34	"	Lead	250ML	PW	G	P	NA	
	HC27B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	HC28A/CR24 sink	"	6:36	"	Lead	250ML	PW	G	P	NA	
	HC28B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By:	Count	Date: <u>6/9/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By:		Date: <u>6/11/21</u>	Temp °C: _____			
Relinquished By:		Date: <u>16:07</u>	Temp °C: _____	All containers in tact? Y / N	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate	OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By:		Date:	Temp °C: _____	Tests within holding times? Y / N		
		Date:	Temp °C: _____	40 mL VOA vials free of headspace? Y / N		

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLP058 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.