

SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

June 17, 2021

Steve Genesser
TEM Inc
174 N. Brandon Drive
Glendale Heights, IL 60139

Workorder: 2106701

TEL: (630) 790-0882

FAX:

RE: SD 58 Oneill Middle School 635 59th St Downers IL 60139

Dear Steve Genesser:

Suburban Laboratories, Inc. received 54 sample(s) on 6/7/2021 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,

Pat Rodriguez
Project Manager
708-544-3260 ext 214
pat@suburbanlabs.com



SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

Client ID: TEM Inc

Report Date: June 17, 2021

Project Name: SD 58 Oneill Middle School 635 59th St Downers IL 601

Workorder: 2106701

Analyte: Lead

Method: EPA 200.8

Matrix: Drinking Water

Sample ID	Client Sample ID	Result	MRL	Units	Date & Time Water System Last Used	Date Collected	Date Analyzed
2106701-001A	ON01A RM214 CR Sink First Draw	5.22	2.00	µg/L		6/3/2021	6/14/2021
2106701-002A	ON01B RM214 CR Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-003A	ON02A RM212 CR Sink First Draw	2.52	2.00	µg/L		6/3/2021	6/14/2021
2106701-004A	ON02B RM212 CR Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-005A	ON03A BF Outside RM203 First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-006A	ON03B BF Outside RM203 Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-007A	ON04A Room 200-Left First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-008A	ON04B Room 200-Left Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-009A	ON05A RM200 Middle Left First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-010A	ON05B RM200 Middle Left Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-011A	ON06A RM200 Middle Right First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-012A	ON06B RM200 Middle Right Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-013A	ON07A RM200-Right First Draw	2.53	2.00	µg/L		6/3/2021	6/14/2021
2106701-014A	ON07B RM200-Right Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-015A	ON08A 1ST Floor Near Elevator First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-016A	ON08B 1ST Floor Near Elevator Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-017A	ON09A RM111 CR Sink First Draw	3.83	2.00	µg/L		6/3/2021	6/14/2021
2106701-018A	ON09B RM111 CR Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-019A	ON10A Hallway Outside 10 WC First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-020A	ON10B Hallway Outside 10 WC Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-021A	ON11A Library Staff Sink First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-022A	ON11B Library Staff Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-023A	ON12A Bottle Fill Outside Library First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-024A	ON12B Bottle Fill Outside Library Flush	ND	2.00	µg/L		6/3/2021	6/14/2021

SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

Client ID: TEM Inc

Report Date: June 17, 2021

Project Name: SD 58 Oneill Middle School 635 59th St Downers IL 601

Workorder: 2106701

Analyte: Lead

Method: EPA 200.8

Matrix: Drinking Water

Sample ID	Client Sample ID	Result	MRL	Units	Date & Time Water System Last Used	Date Collected	Date Analyzed
2106701-025A	ON13A Main Office Sink First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-026A	ON13B Main Office Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-027A	ON14A RM149 Yellow Sink First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-028A	ON14B RM149 Yellow Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-029A	ON15A RM149 Yellow Center First Draw	7.96	2.00	µg/L		6/3/2021	6/14/2021
2106701-030A	ON15B RM149 Yellow Center Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-031A	ON16A RM149 Yellow Right First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-032A	ON16B RM149 Yellow Right Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-033A	ON17A RM149 Orange Left Sink First Draw	8.36	2.00	µg/L		6/3/2021	6/14/2021
2106701-034A	ON17B RM149 Orange Left Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-035A	ON18A RM149 Orange Right Sink First Draw	3.29	2.00	µg/L		6/3/2021	6/14/2021
2106701-036A	ON18B RM149 Orange Right Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-037A	ON19A RM147 Sink First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-038A	ON19B RM147 Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-039A	ON20A Hallway RM147 BF First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-040A	ON20B Hallway RM147 BF Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-041A	ON21A Faculty Lounge Sink First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-042A	ON21B Faculty Lounge Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-043A	ON22A Hallway Outside Kitchen WC First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-044A	ON22B Hallway Outside Kitchen WC Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-045A	ON23A RM136 Bottle Fill First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-046A	ON23B RM136 Bottle Fill Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-047A	ON24A RM137 Storage Area Sink First Draw	2.70	2.00	µg/L		6/3/2021	6/14/2021
2106701-048A	ON24B RM137 Storage Area Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-049A	ON25A Fitness Room First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021

ND - Not Detected Down to the Laboratory Minimum Reporting Limit (MRL)

SUBURBAN LABORATORIES, Inc.



1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

Client ID: TEM Inc

Report Date: June 17, 2021

Project Name: SD 58 Oneill Middle School 635 59th St Downers IL 601

Workorder: 2106701

Analyte: Lead

Method: EPA 200.8

Matrix: Drinking Water

Sample ID	Client Sample ID	Result	MRL	Units	Date & Time Water System Last Used	Date Collected	Date Analyzed
2106701-050A	ON25B Fitness Room Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-051A	ON26A Band Room Sink First Draw	2.18	2.00	µg/L		6/3/2021	6/14/2021
2106701-052A	ON26B Band Room Sink Flush	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-053A	ON27A Bottle Fill Outside RM126 First Draw	ND	2.00	µg/L		6/3/2021	6/14/2021
2106701-054A	ON27B Bottle Fill Outside RM126 Flush	ND	2.00	µg/L		6/3/2021	6/14/2021



SUBURBAN TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other _____
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Page 5 of 1

Client Name: <u>TEM Environmental, Inc.</u> Address: <u>174 N. Brandon Drive</u> <u>Glendale Heights, IL 60139</u> Contact Name: <u>Steven Geneser</u> Phone: <u>630-790-0880</u> Email: <u>sgeneser@tem-inc.com</u> P.O. Info: _____	Project Name: <u>SD 58 - Lead Water Sampling</u> Address: <u>635 59th St</u> <u>Downer's Grove, IL 60016</u> Regulatory ID (SDWA/Permit #): _____
---	---

Comments: oneill middle school

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	<u>ON01A/RM 214 CR Sink</u>	<u>6/3/21</u>	<u>05:45</u>	<u>ND</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	<u>2106701-1A</u>
	<u>ON01B/ "</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON02A/RM 212 CR Sink</u>	<u>"</u>	<u>05:47</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON02B/ "</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON03A/BF Outside RM 203</u>	<u>"</u>	<u>05:59</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON03B/ "</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON04A/Room 200-left</u>	<u>"</u>	<u>06:05</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	
	<u>ON04B/ "</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>Lead</u>	<u>250ML</u>	<u>PW</u>	<u>G</u>	<u>P</u>	<u>NA</u>	<u>✓ 8A</u>

Relinquished By:	Count	Date: <u>6/4/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA O = Other PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene	
Received By:		Date: <u>6-7-21</u>	Temp °C: <u>24</u>	Acceptable: Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Relinquished By:		Date:	Temp °C: _____	Acceptable: Y / N			
Received in Lab By:		Date:	Temp °C: _____	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive Phone: 630-790-0880
Glendale Heights, IL 60139 Email: sgeneser@tem-inc.com
Contact Name: Steven Geneser P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: 635 59th St
Downer's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON05A/RM200-Middle left	6/3/21	06:06	ND	Lead	250ML	PW	G	P	NA	2106709A
	ON05B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON06A/RM200-Middle right	"	06:08	"	Lead	250ML	PW	G	P	NA	
	ON06B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON07A/RM200-Right	"	06:20	"	Lead	250ML	PW	G	P	NA	
	ON07B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON08A/1st floor near elevator	"	06:22	"	Lead	250ML	PW	G	P	NA	
	ON08B/ "	"	"	"	Lead	250ML	PW	G	P	NA	✓/16A

Relinquished By: _____	Count: _____	Date: <u>6/4/21</u>	Temp °C: _____	Submitted with COC? Y / N	Matrix Key	Bottle Type Key
Received By: _____		Date: <u>6-7-21</u>	Temp °C: <u>24</u>	Number of containers match number on COC? Y / N	NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Relinquished By: _____		Date: _____	Temp °C: _____	All containers in tact? Y / N	Sample Type Key	Preservative Key
Received in Lab By: _____		Date: _____	Temp °C: _____	Tests within holding times? Y / N	SDWA Sample Types	A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
		Time: _____	Acceptable: Y / N	40 mL VOA vials free of headspace? Y / N	G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

Chain of Custody Record
 1037F MacArthur Road, Reading, PA 19605
 610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other _____
 (Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Page 7 of 1

Client Name: TEM Environmental, Inc.
 Address: 174 N. Brandon Drive Phone: 630-790-0880
Glendale Heights, IL 60139 Email: sgeneser@tem-inc.com
 Contact Name: Steven Geneser P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
 Address: 635 59th St
Downer's Grove, IL 60516
 Regulatory ID (SDWA/Permit #): _____

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON09A/RM III CR Sink	6/3/21	06:22	ND	Lead	250ML	PW	G	P	NA	210670-17A 210671
	ON09B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON10A/Hallway Outside 104 WC	"	06:25	"	Lead	250ML	PW	G	P	NA	
	ON10B/ "	"	06:25	"	Lead	250ML	PW	G	P	NA	
	ON11A/Library Staff Sink	"	06:32	"	Lead	250ML	PW	G	P	NA	
	ON11B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON12A/Bottle fill outside library	"	06:35	"	Lead	250ML	PW	G	P	NA	
	ON12B/ "	"		"	Lead	250ML	PW	G	P	NA	↓ 24A

Relinquished By:	Count	Date: <u>6/4/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA O = Other
		Time: _____	Acceptable: Y / N			
Received By:	Count	Date: <u>6-7-21</u>	Temp °C: <u>24</u>	Number of containers match number on COC? Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence
		Time: <u>17:00</u>	Acceptable: Y / N			
Relinquished By:	Count	Date:	Temp °C: _____	All containers in tact? Y / N	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate	OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
		Time:	Acceptable: Y / N			
Received in Lab By:	Count	Date:	Temp °C: _____	40 mL VOA vials free of headspace? Y / N		
		Time:	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



Client Name: <u>TEM Environmental, Inc.</u> Address: <u>174 N. Brandon Drive</u> Phone: <u>630-790-0880</u> <u>Glendale Heights, IL 60139</u> Email: <u>sgeneser@tem-inc.com</u> Contact Name: <u>Steven Geneser</u> P.O. Info: _____	Project Name: <u>SD 58 - Lead Water Sampling</u> Address: <u>635 59th St</u> <u>Douglas's Grove, IL 60516</u> Regulatory ID (SDWA/Permit #): _____
--	--

Comments: _____

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON13A/Main Office Sink	6/3/21	06:36	ND	Lead	250ML	PW	G	P	NA	2100701-25A
	ON13B/ "	"	06:36	"	Lead	250ML	PW	G	P	NA	
	ON14A/RM 149-Yellow left	"	06:45	"	Lead	250ML	PW	G	P	NA	
	ON14B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON15A/RM 149-Yellow center	"	06:46	"	Lead	250ML	PW	G	P	NA	
	ON15B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON16A/RM 149-Yellow right	"	06:47	"	Lead	250ML	PW	G	P	NA	
	ON16B/ "	"	"	"	Lead	250ML	PW	G	P	NA	✓ 32A

Relinquished By:	Count	Date: <u>6/3/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA
		Time: _____	Temp °C: <u>24</u>			
Received By:		Date: <u>6-7-21</u>	Temp °C: <u>24</u>	All containers in tact? Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence
		Time: <u>17:00</u>	Acceptable: Y / N			
Relinquished By:		Date:	Temp °C: _____	40 mL VOA vials free of headspace? Y / N		Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate
		Time:	Acceptable: Y / N			
Received in Lab By:		Date:	Temp °C: _____			
		Time:	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



Client Name: TEM Environmental, Inc.
Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
Phone: 630-790-0880
Email: sgeneser@tem-inc.com
Contact Name: Steven Geneser
P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
Address: 635 59th St
Downer's Grove, IL 60516
Regulatory ID (SDWA/Permit #): _____

Page 9 of 11

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON17A/RM 149-Orange left sink	6/3/21	06:35	ND	Lead	250ML	PW	G	P	NA	2106701-33A ↓ 40A
	ON17B/ "	"	06:45	"	Lead	250ML	PW	G	P	NA	
	ON18A/RM 149-Orange right sink	"	06:46	"	Lead	250ML	PW	G	P	NA	
	ON18B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON19A/RM 147 Sink	"	06:51	"	Lead	250ML	PW	G	P	NA	
	ON19B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON20A/Hallway RM 147 BF	"	06:53	"	Lead	250ML	PW	G	P	NA	
	ON20B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By:	Count: _____	Date: <u>6/14/21</u>	Temp °C: _____	Sample Conditions	Matrix Key	Bottle Type Key
Received By:		Date: <u>6-7-21</u>	Temp °C: <u>24</u>	Submitted with COC? Y / N	NPW = Non-Potable Water.	P = Plastic
		Time: <u>17:00</u>	Acceptable: Y / N	Number of containers match number on COC? Y / N	Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg)	G = Glass
Relinquished By:		Date:	Temp °C: _____	All containers in tact? Y / N	PW = Potable Water (not for SDWA compliance)	GA = Glass Amber
Received in Lab By:		Date:	Temp °C: _____	Tests within holding times? Y / N	SDWA = Safe Drinking Water Act Potable Sample	VOA = 40mL G or GA
		Time:	Acceptable: Y / N	40 mL VOA vials free of headspace? Y / N	Sample Type Key	PS = Sterile Polystyrene
		Date:	Temp °C: _____		G = Grab	HDPE = High Density Polyethylene
		Time:	Acceptable: Y / N		C = Composite	O = Other
		Date:	Temp °C: _____		8HC = 8 Hr. Composite	A = Ascorbic Acid
		Time:	Acceptable: Y / N		24HC = 24 Hr. Composite	OH = NaOH
		Date:	Temp °C: _____			S = H ₂ SO ₄
		Time:	Acceptable: Y / N			O = Other
		Date:	Temp °C: _____			N = Sodium
		Time:	Acceptable: Y / N			Thiosulfate
		Date:	Temp °C: _____			None Required

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

Chain of Custody Record

1037F MacArthur Road, Reading, PA 19605
610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
(Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: <u>TEM Environmental, Inc.</u> Address: <u>174 N. Brandon Drive</u> <u>Glendale Heights, IL 60139</u> Contact Name: <u>Steven Geneser</u> Phone: <u>630-790-0880</u> Email: <u>sgeneser@tem-inc.com</u> P.O. Info: _____	Project Name: <u>SD 58 - Lead Water Sampling</u> Address: <u>635 59th St</u> <u>Downer's Grove, IL 60516</u> Regulatory ID (SDWA/Permit #): _____
---	--

Page 10 of 11

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON21A/ Faculty Lounge Sink	6/3/21	06:56	ND	Lead	250ML	PW	G	P	NA	2106701-41A ↓ USA
	ON21B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON22A/ Hallway Outside Kid's WC	"	06:58	"	Lead	250ML	PW	G	P	NA	
	ON22B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON23A/RM136 Bottle Fill	"	07:00	"	Lead	250ML	PW	G	P	NA	
	ON23B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON24A/RM137 Storage Area Sink	"	07:07	"	Lead	250ML	PW	G	P	NA	
	ON24B/ "	"	"	"	Lead	250ML	PW	G	P	NA	

Relinquished By:	Count	Date: <u>6/4/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By:		Date: <u>6-7-21</u>	Temp °C: <u>24</u>			
		Time: <u>17:00</u>	Acceptable: Y / N			
Relinquished By:		Date:	Temp °C: _____			
		Time:	Acceptable: Y / N			
Received in Lab By:		Date:	Temp °C: _____			
		Time:	Acceptable: Y / N			
					Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence
						Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.



SUBURBAN TESTING LABS

Chain of Custody Record
 1037F MacArthur Road, Reading, PA 19605
 610-375-TEST - Fax: 610-375-4090 - suburbantestinglabs.com

TAT(Check One): Standard 24hr 48hr 72hr Other
 (Additional charges may apply for rush TAT. If not specified, standard TAT will apply)

Order ID: _____

Client Name: TEM Environmental, Inc.
 Address: 174 N. Brandon Drive
Glendale Heights, IL 60139
 Contact Name: Steven Geneser
 Phone: 630-790-0880
 Email: sgeneser@tem-inc.com
 P.O. Info: _____

Project Name: SD 58 - Lead Water Sampling
 Address: 635 59th St
Downer's Grove, IL 60516
 Regulatory ID (SDWA/Permit #): _____

Page 11 of 11

Comments:

STL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	Bottle Quantity	See Codes Below				Comments / Field Data:
							Matrix	Sample Type	Bottle Type	Preservative	
	ON25A/Fitness room	6/3/21	07:10	ND	Lead	250ML	PW	G	P	NA	2106701-49A ↓ 54A
	ON25B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON26A/Band Room Sink	"	07:15	"	Lead	250ML	PW	G	P	NA	
	ON26B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
	ON27A/Bottle Fill outside RM126	"	07:17	"	Lead	250ML	PW	G	P	NA	
	ON27B/ "	"	"	"	Lead	250ML	PW	G	P	NA	
					Lead	250ML	PW	G	P	NA	

Relinquished By:	Count: _____	Date: <u>6/4/21</u>	Temp °C: _____	Sample Conditions Submitted with COC? Y / N Number of containers match number on COC? Y / N All containers in tact? Y / N Tests within holding times? Y / N 40 mL VOA vials free of headspace? Y / N	Matrix Key NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. (reported as mg/kg) PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key P = Plastic G = Glass GA = Glass Amber VOA = 40mL G or GA O = Other PP = Sterile Polypropylene PS = Sterile Polystyrene HDPE = High Density Polyethylene O = Other
Received By:	Date: <u>6-7-21</u>	Temp °C: <u>24</u>	Acceptable: Y / N			
Relinquished By:	Date: _____	Temp °C: _____	Acceptable: Y / N	Sample Type Key G = Grab C = Composite 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types D=Distribution E=Entry Point R=Raw C=Check S=Special M=Maximum Residence	Preservative Key A = Ascorbic Acid C = HCl H = HNO ₃ N = Sodium Thiosulfate OH = NaOH S = H ₂ SO ₄ O = Other NA = None Required
Received in Lab By:	Date: _____	Temp °C: _____	Acceptable: Y / N			

Signing this form indicates your agreement with STL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.5 Effective April 24, 2020. Shaded areas are for STL use only.